

Version: 1.4 Revision Date: 10-30-2020

SAFETY DATA SHEET

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

1. Identification

Product identifier: Hydrochloric Acid, 6.0N Solution

Other means of identification
Synonyms:Hydrochloric Acid, 6.0N Volumetric Solution
0327, 0347, 5619, BR12, BS12, H168

Recommended restrictions

Recommended use: For Laboratory, Research or Manufacturing Use. **Restrictions on use:** Not determined.

Details of the supplier of the safety data sheet

Company Name: Address:	Avantor Performance Materials, LLC 100 Matsonford Rd, Suite 200 Radnor, PA 19087
Telephone:	Customer Service: 855-282-6867
Contact Person: E-mail:	Product Information Compliance info@avantormaterials.com

Emergency telephone number:

CHEMTREC: 1-800-424-9300 within US and Canada (24 hrs/day, 7 days/week)

2. Hazard(s) identification

Hazard Classification

Physical Hazards	
Corrosive to metal	Category 1
Health Hazards	
Acute toxicity (Oral)	Category 4
Skin Corrosion/Irritation	Category 1B
Serious Eye Damage/Eye Irritation	n Category 1
Specific Target Organ Toxicity - Single Exposure	Category 3 ^{1.}
Target Organs	
1. Respiratory tract irritation).
Unknown toxicity - Health	
Acute toxicity, oral	0 %
Acute toxicity, dermal 0 %	
Acute toxicity, inhalation, dust	21.69 %

Label Elements

or mist



Hazard Symbol:

Signal Word:	Danger
Hazard Statement:	May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation.
Precautionary Statements	
Prevention:	Keep only in original packaging. Wash thoroughly after handling. Do not breathe dust/mist/vapors. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product.
Response:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.
Storage:	Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a corrosion-resistant container with a resistant inner liner.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	
Hydrochloric acid	7647-01-0	21.69 - 22.06%	
* All concentrations are percent	by weight unless ing	redient is a gas. Gas concentrations are in percent by	volume.

4. First-aid measures

General information:

Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.

	Version: 1.4 Revision Date: 10-30-2020	
Ingestion:	Call a physician or poison control center immediately. Do not induce vomiting without advice from poison control center. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.	
Inhalation:	Move to fresh air. Call a physician or poison control center immediately. If breathing is difficult, give oxygen. If breathing stops, provide artificial respiration.	
Skin Contact:	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.	
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately. In case of irritation from airborne exposure, move to fresh air. Get medical attention immediately.	
Most important symptoms/effects	s, acute and delayed	
Symptoms:	Causes severe skin and eye burns. Causes digestive tract burns.	
Hazards:	None known.	
Indication of immediate medical attention and special treatment needed		
Treatment:	Treat symptomatically. Symptoms may be delayed.	
5. Fire-fighting measures		
General Fire Hazards:	The product is non-combustible. Product is highly acidic.	
Suitable (and unsuitable) extingu	ishing media	
Suitable extinguishing media:	The product is non-combustible. Use fire-extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	None known.	
Specific hazards arising from the chemical:	Fire may produce irritating, corrosive and/or toxic gases. Product is acidic. Wear appropriate protective gear if spilled during firefighting.	
Special protective equipment and precautions for firefighters		
Special fire fighting procedures:	Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to flames with water until well after the fire is out.	
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Keep unauthorized personnel away. Keep upwind. Ventilate closed spaces before entering them. Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods and material for containment and cleaning up:	Neutralize spill area and washings with soda ash or lime. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.
Notification Procedures:	Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling:	Avoid inhalation of vapors and spray mists. Do not get in eyes, on skin, on clothing. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not eat, drink or smoke when using the product. Never add water to acid! Use caution when adding this material to water. Always add acid to water while stirring to prevent release of heat, steam and fumes.
Conditions for safe storage, including any incompatibilities:	Do not store in metal containers. Keep container tightly closed in a cool, well-ventilated place. Store in a dry place. Keep away from alkalis.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Lim	nit Values	Source
Hydrochloric acid	Ceiling	2 ppm		US. ACGIH Threshold Limit Values (2011)
	Ceil_Time	5 ppm	7 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	Ceiling	5 ppm	7 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	Ceiling	5 ppm	7 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceiling	5 ppm	7 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	TWA PEL	0.3 ppm	0.45 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
	Ceiling	2 ppm		US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
	AN ESL	Health	7.9 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)
	ST ESL	Health	130 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)
	ST ESL	Health	190 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)
	AN ESL	Health	5.3 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)



Version: 1.4 Revision Date: 10-30-2020

Appropriate Engineering Controls	No data available.
Individual protection measures,	such as personal protective equipment
General information:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.
Eye/face protection:	Wear safety glasses with side shields (or goggles) and a face shield.
Skin Protection Hand Protection:	Chemical resistant gloves
Other:	Wear suitable protective clothing and gloves.
Respiratory Protection:	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with acid gas cartridge.
Hygiene measures:	Provide eyewash station and safety shower. Observe good industrial hygiene practices. Wash contaminated clothing before reuse. Wash hands before breaks and immediately after handling the product. Avoid contact with eyes, skin, and clothing.

9. Physical and chemical properties

Appearance		
Physical state:	Liquid	
Form:	Liquid	
Color:	Colorless	
Odor:	Pungent	
Odor threshold:	No data available.	
pH:	0.1 (1 N aqueous solution)	
Melting point/freezing point:	-74 °C	
Initial boiling point and boiling range:	81.5 °C	
Flash Point:	Not applicable	
Evaporation rate:	As water	
Flammability (solid, gas):	No data available.	
Upper/lower limit on flammability or explosive limits		
Flammability limit - upper (%):	No data available.	
Flammability limit - lower (%):	No data available.	
Explosive limit - upper (%):	No data available.	
Explosive limit - lower (%):	No data available.	
Vapor pressure:	1.95 - 5.5 kPa	
Vapor density:	No data available.	
Density:	1.10 g/ml (20 °C)	
Relative density:	1.10 (20 °C)	
Solubility(ies)		
Solubility in water:	Miscible	
SDS_US - SDSMIX000516		



Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	Reacts violently with strong alkaline substances.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerization does not occur.
Conditions to avoid:	Contact with incompatible materials.
Incompatible Materials:	Strong bases. Alkalies. Amines. Metals. Oxidizing agents. Reducing agents. Water reactive material.
Hazardous Decomposition Products:	Chlorine. Hydrogen chloride. May decompose upon heating to produce corrosive and/or toxic fumes.

11. Toxicological information

Information on likely routes of exposure Inha

Inhalation:	May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
Skin Contact:	Causes severe skin burns.
Eye contact:	Causes serious eye damage.
Ingestion:	May cause burns of the gastrointestinal tract if swallowed. Harmful if

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product:	ATEmix (Rat): 4,079.78 mg/kg
Dermal Product:	ATEmix (Rabbit) 6,568.45 mg/kg
Inhalation Product:	No data available.
Specified substance(s): Hydrochloric acid	LC 50 (Rat, 4 h): 1405 ppm
Repeated dose toxicity Product:	No data available.

swallowed.



	Revision Date. 10-50
Product:	Causes severe skin burns.
Serious Eye Damage/Eye Irritati Product:	ion Causes serious eye damage.
Respiratory or Skin Sensitizatio Product:	n Not a skin nor a respiratory sensitizer.
Carcinogenicity Product:	This substance has no evidence of carcinogenic properties.
ARC Monographs on the Evalu No carcinogenic component	ation of Carcinogenic Risks to Humans: ts identified
US. National Toxicology Progra No carcinogenic component	m (NTP) Report on Carcinogens: ts identified
US. OSHA Specifically Regulate No carcinogenic component	ed Substances (29 CFR 1910.1001-1050): ts identified
Germ Cell Mutagenicity	
In vitro Product:	No mutagenic components identified
In vivo Product:	No mutagenic components identified
Reproductive toxicity Product:	No components toxic to reproduction
Specific Target Organ Toxicity · Product:	- Single Exposure Respiratory tract irritation.
Specific Target Organ Toxicity - Product:	- Repeated Exposure None known.
Target Organs Specific Target Organ Toxic	city - Single Exposure: Respiratory tract irritation.
Aspiration Hazard Product:	Not classified
Other effects:	None known.
2. Ecological information	

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish	
Product:	

No data available.

Specified substance(s):		
Hydrochloric acid	LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 282 mg	g/l

Aquatic Invertebrates



	Revision Date: 10-30-2020	
Product:	No data available.	
Specified substance(s): Hydrochloric acid	LC 50 (Green or European shore crab (Carcinus maenas), 48 h): 240 mg/l LC 50 (Common shrimp, sand shrimp (Crangon crangon), 48 h): 260 mg/l	
Chronic hazards to the aquati	c environment:	
Fish Product:	No data available.	
Aquatic Invertebrates Product:	No data available.	
Toxicity to Aquatic Plants Product:	No data available.	
Persistence and Degradability		
Biodegradation Product:	Expected to be readily biodegradable.	
BOD/COD Ratio Product:	No data available.	
Bioaccumulative potential Bioconcentration Factor (BC Product:	CF) No data available on bioaccumulation.	
Partition Coefficient n-octanol / water (log Kow) Product: No data available.		
Mobility in soil:	The product is water soluble and may spread in water systems.	
Other adverse effects:	The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.	
13. Disposal considerations		
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws.	
Contaminated Packaging:	Since emptied containers retain product residue, follow label warnings even after container is emptied.	

14. Transport information

DOT	
UN Number:	UN 1789
UN Proper Shipping Name:	Hydrochloric acid
Transport Hazard Class(es)	-
Class:	8
Label(s):	8
Packing Group:	II
Marine Pollutant:	No
Packing Group:	



Special precautions for user:	Keep away from alkalis.
IMDG UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): EmS No.:	UN 1789 HYDROCHLORIC ACID 8 8 F-A, S-B
Packing Group: Marine Pollutant: Special precautions for user:	ll No Keep away from alkalis.
IATA UN Number: Proper Shipping Name: Transport Hazard Class(es): Class: Label(s):	UN 1789 Hydrochloric acid 8 8
Packing Group: Marine Pollutant: Special precautions for user:	ll No Keep away from alkalis.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity	
Hydrochloric acid	5000 lbs.	

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Corrosive to metal Acute toxicity (any route of exposure) Skin Corrosion or Irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)

SARA 302 Extremely Hazardous Substance

	<u>Reportable</u>	
Chemical Identity	quantity	Threshold Planning Quantity
Hydrochloric acid	5000 lbs.	500 lbs.

SARA 304 Emergency Release Notification

Chemical Identity	Reportable quantity	
Hydrochloric acid	5000 lbs.	

SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Hydrochloric acid	500 lbs.



		Revision I
SARA 313 (TRI Reporting)		
	<u>Reporting</u>	Reporting threshold for
	threshold for	manufacturing and
Chemical Identity	other users	processing
Hydrochloric acid	10000 lbs.	25000 lbs.
Clean Air Act (CAA) Section 112(r)) Accidental Release	Prevention (40 CFR 68.130):
Chemical Identity	Reportable quantit	v
Hydrochloric acid	5000 lbs.	-
Clean Water Act Section 311 Haza	rdous Substances (4	40 CFR 117.3):
Chemical Identity	Reportable quantit	У
Hydrochloric acid	Reportable quantity:	5000 lbs.
US State Regulations		
U.C. California Pressoaition	~ ~	
US. California Proposition No ingredient requiri	65 ing a warning under C	A Prop 65.
US. New Jersey Worker an	d Community Right	-to-Know Act
Chemical Identity		
Hydrochloric acid		
US. Massachusetts RTK -	Substance List	
Chemical Identity		
Hydrochloric acid		
US. Pennsylvania RTK - Ha	azardous Substance	S
Chemical Identity		
Hydrochloric acid		
US. Rhode Island RTK		
Chemical Identity		
Hydrochloric acid		
International regulations		
Montreal protocol		
Not applicable		
Stockholm convention		
Not applicable		
Rotterdam convention		
Not applicable		
Kyoto protocol		
Not applicable		




Inventory Status:

Australia AICS: Canada DSL Inventory List: China Inv. Existing Chemical Substances: Japan (ENCS) List: Japan ISHL Listing: Korea Existing Chemicals Inv. (KECI): Mexico INSQ: New Zealand Inventory of Chemicals: Philippines PICCS: Taiwan Chemical Substance Inventory: US TSCA Inventory: EINECS, ELINCS or NLP: On or in compliance with the inventory Not in compliance with the inventory. On or in compliance with the inventory On or in compliance with the inventory

16.Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible COR: Corrosive

Issue Date:	10-30-2020
Revision Information:	Not relevant.
Version #:	1.4
Source of information:	Sources of information used in preparing this SDS included one or more of the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other manufacturer's SDSs and other sources, as appropriate.
Further Information:	No data available.

✓ avantor [™]	Version: 1.4 Revision Date: 10-30-2020
Disclaimer:	The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL , PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.