

Safety Data Sheet

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

SECTION 1: Identification

Product identifier

Trade name/designation:	Methylene Chloride BAKER ANALYZED® A.C.S. Reagent
Product No.:	9324
Synonyms:	none

Relevant identified uses of the substance or mixture and uses advised against

Recommended use	For Laboratory, Research or Manufacturing Use.
Uses advised against	This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

Details of the supplier of the safety data sheet

Supplier

Avantor Performance Materials, LLC.

Street	100 Matsonford Rd, Suite 200
Postal code/City	Radnor, PA 19087, United States
Telephone	+1-855-282-6867
Telefax	+1-610-573-2610

Emergency phone number

Telephone	+1-800-424-9300 (Chemtrec, 24 hrs/day, 7 days/week, USA and Canada)
-----------	---------------------------------------------------------------------

Preparation Information

Product Information Compliance

E-mail	SDS@avantorsciences.com
--------	-------------------------

SECTION 2: Hazard identification

Classification of the substance or mixture

Label elements

Health hazards

Skin irritation, category 2

Eye irritation, category 2

Carcinogenicity, category 2

Specific target organ toxicity (single exposure), category 3, narcotic effect

Hazard pictograms



Signal word: Warning

Hazard statements

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H351 - Suspected of causing cancer.

H336 - May cause drowsiness or dizziness.

Precautionary statements

Prevention:

- P201 - Obtain special instructions before use.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 - Wash hands thoroughly after handling.
- P271 - Use only outdoors or in a well-ventilated area.
- P202 - Do not handle until all safety precautions have been read and understood.

Response:

- P302+P352 - IF ON SKIN: Wash with plenty of water/...
- P362+P364 - Take off contaminated clothing and wash it before reuse.
- P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 - IF exposed or concerned: Get medical advice/attention.
- P312 - Call a POISON CENTER/doctor/.../if you feel unwell.
- P321 - Specific treatment (see ... on this label).
- P332+P313 - If skin irritation occurs: Get medical advice/attention.
- P337+P313 - If eye irritation persists: Get medical advice/attention.

Storage:

- P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
- P405 - Store locked up.

Disposal:

- P501 - Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC)

none

SECTION 3: Composition/information on ingredients

Substances

Substance name	Dichloromethane
Molecular formula	CH ₂ Cl ₂
Molecular weight	84.93 g/mol
CAS No.	75-09-2

SECTION 4: First aid measures

General information

Do not leave affected person unattended. If unconscious but breathing normally, place in recovery position and seek medical advice. Take off contaminated clothing. Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician. When in doubt or if symptoms are observed, get medical advice.

In case of skin contact

Remove contaminated, saturated clothing immediately. Wash off any skin contamination immediately. In case of skin irritation, consult a physician.

After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

In case of ingestion

Seek medical advice immediately (poison centre). Rinse mouth thoroughly with water.

Most important symptoms/effects, acute and delayed

Cough. Shortness of breath. Respiratory depression. Cardiac arrhythmias. Cardiac arrest. Pulmonary oedema. Vomiting. Dizziness. Nausea. Repeated exposure may cause skin dryness or cracking. Unconsciousness.

Indication of any immediate medical attention and special treatment needed

Substance is metabolized in the body producing carbon monoxide which increases and sustains carboxyhemoglobin levels in the blood, reducing the oxygen-carrying capacity of the blood. Administer oxygen, if necessary intubation and ventilation. In the event of severe poisoning hyperventilation should be considered. Do not administer catecholamines because of the cardiac effect caused by the product.

SECTION 5: Fire fighting measures**Extinguishing media****Suitable extinguishing media**

The product itself does not burn.
Co-ordinate fire-fighting measures to the fire surroundings.
Water spray.
Dry extinguishing powder.
Alcohol resistant foam.
Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons

Full water jet.

Specific hazards arising from the chemical

In case of fire and/or explosion do not breathe fumes.
Do not allow run-off from fire-fighting to enter drains or water courses.
In case of fire: Evacuate area.
In case of fire may be liberated:
Carbon monoxide
Carbon dioxide (CO₂).
Hydrogen chloride (HCl)

Advice for firefighters

Non-combustible corrosive substances (liquid).
Do not breathe gas/fume/vapor/spray.
Fight fire with normal precautions from a reasonable distance.
Protective equipment and precautions for firefighters:
Wear a self-contained breathing apparatus and chemical protective clothing.

SECTION 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel: Wear personal protection equipment (refer to section 8). Avoid contact with eyes and skin. Do not breathe gas/fume/vapor/spray. Remove victim out of the danger area. Stop leak if safe to do so.

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

Large spills: Dike or dam to contain for later disposal. Take up mechanically, placing in appropriate containers for disposal. Small spills: Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Dispose according to legislation.

Additional information

Personal protection equipment (PPE): see section 8 Disposal information: see section 13 Decomposition products in case of fire: see section 5.

SECTION 7: Handling and storage

Precautions for safe handling

Advices on safe handling

Wear personal protection equipment (refer to section 8).

Avoid contact with eyes and skin.

Avoid inhalation of the product.

Use extractor hood (laboratory).

Provide adequate ventilation.

Measures to prevent fire, aerosol and dust generation

Usual measures for fire prevention.

Measures required to protect the environment

Do not allow uncontrolled discharge of product into the environment.

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

Conditions for safe storage, including any incompatibilities

Recommended storage temperature: Ambient temperature

Storage: Keep container tightly closed and in a well-ventilated place. Keep/Store only in original container.

Keep cool. Protect from sunlight. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Suitable container/equipment material: Glass Steel Stainless steel Unsuitable container/equipment material: Aluminium Polyethylene PVC (polyvinyl chloride)

SECTION 8: Exposure controls/personal protection

Control parameters

Ingredient (Designation)	Source	Country	parameter	Limit value
Dichloromethane	OSHA	US	LTV	25 ppm
Dichloromethane	OSHA	US	STV	125 ppm

Engineering controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

Personal protection equipment (PPE)

Wear suitable protective clothing. When handling with chemical substances, protective clothing must be worn.

Eye/face protection

Eye glasses with side protection

Skin protection

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.

By short-term hand contact

Suitable material:	Butyl caoutchouc (butyl rubber)/FKM (fluoro rubber)
Thickness of the glove material:	0,70 mm
Breakthrough time	> 120 min

By long-term hand contact

Suitable material:	Butyl caoutchouc (butyl rubber)/FKM (fluoro rubber)
Thickness of the glove material:	0,70 mm
Breakthrough time	> 120 min

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

Additional information

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

Environmental exposure controls

no data available

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

(a) Appearance	
Physical state:	liquid
Color:	colorless
(b) Odor:	no data available
(c) Odor threshold:	no data available

Safety relevant basic data

(d) pH:	7 (20 °C)
(e) Melting point/freezing point:	-95 °C
(f) Initial boiling point and boiling range:	39.8 °C (1013 hPa)
(g) Flash point:	no data available
(h) Evaporation rate:	no data available
(i) Flammability (solid, gas):	not applicable
(j) Flammability or explosive limits	
Lower explosion limit:	13 % (v/v)
Upper explosion limit:	22 % (v/v)
(k) Vapor pressure:	475 hPa (20 °C)
(l) Vapor density:	2.93 (20 °C)
(m) Density:	1.322 g/cm ³ (20 °C)
(n) Solubility(ies)	
Water solubility:	~20 g/l (20 °C)
Soluble (g/L) in Ethanol:	no data available
(o) Partition coefficient: n-octanol/water:	1.25 (20 °C)
(p) Auto-ignition temperature:	605 °C (DIN 51794)
(q) Decomposition temperature:	not applicable
(r) Viscosity	
Kinematic viscosity:	no data available
Dynamic viscosity:	0.43 mPa*s (20 °C)
(s) Explosive properties:	not applicable
(t) Oxidising properties:	not applicable

Other information

Bulk density:	no data available
Refraction index:	1.4244 (589 nm; 20 °C)
Dissociation constant:	no data available
Surface tension:	no data available
Henry's Law Constant:	no data available

SECTION 10: Stability and reactivity

Reactivity

This material is non-reactive under normal conditions.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

Possibility of hazardous reactions

Violent reaction with:
Oxidizing agent, strong.
Strong acid
Alkali (lye)
Perchlorates

Conditions to avoid

Protect from moisture.
Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.
Protect from direct sunlight.
Possible decomposition might be provoked.

Incompatible materials:

Alkali metals
Aluminium
Reacts with strong oxidizing agents.

Hazardous decomposition products

no data available

SECTION 11: Toxicological information**Information on toxicological effects****Acute effects**

Acute oral toxicity:

LD50: > 1600 mg/kg - Rat - (RTECS)

LDLo: > 357 mg/kg - Human - (RTECS)

Acute dermal toxicity:

LD50: < 2000 mg/kg - Rat - (OECD 402)

Acute inhalation toxicity:

LC50: 53 mg/l - Rat - (Japan GHS Basis for Classification Data)

Irritant and corrosive effects:

Primary irritation to the skin:

Causes skin irritation.

Irritation to eyes:

Causes serious eye irritation.

Irritation to respiratory tract:

not applicable

Respiratory or skin sensitization

In case of skin contact: not sensitizing

In case of inhalation: not sensitizing

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

not applicable

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**Carcinogenicity**

Suspected of causing cancer.

Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

No indications of human reproductive toxicity exist.

Aspiration hazard

not applicable

Other adverse effects

no data available

SECTION 12: Ecological information**Ecotoxicity****Fish toxicity:**

LC50: 193 - 502 mg/l (96 h) - Alexander, H.C., W.M. McCarty, and E.A. Bartlett 1978. Toxicity of Perchloroethylene, Trichloroethylene, 1,1,1-Trichloroethane, and Methylene Chloride to Fathead Minnows. Bull.Environ.Contam.Toxicol. 20(3):344-352 (OECDG Data File)

Daphnia toxicity:

EC50: 1250 - 1680 mg/l (48 h) - Bringmann, G., and F. Meinck 1964. Wassertoxikologische Beurteilung von Industrieabwassern. Gesundheits-Ingenieur 85:229-260 (OECDG Data File)

LC50: 108 - 220 mg/l (48 h) - Burton, D.T., and D.J. Fisher 1990. Acute Toxicity of...Methylene Chloride, and 2,4,6-Trichlorophenol to Juvenile Grass Shrimp and Killifish. Bull.Environ.Contam.Toxicol. 44(5):776-783

Algae toxicity:

no data available

Bacteria toxicity:

no data available

Persistence and degradability

no data available

Bioaccumulative potential

Partition coefficient: n-octanol/water: 1.25 (20 °C)

Mobility in soil:

no data available

Other adverse effects

no data available

SECTION 13: Disposal considerations**Waste treatment methods****Appropriate disposal / Product**

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package

Dispose according to legislation. Handle contaminated packages in the same way as the substance itself. This material and its container must be disposed of as hazardous waste. Do not open container by force. Warning: Do not refill! Do not pierce or burn, even after use.

SECTION 14: Transport information**Land transport (DOT)**

UN-No.:	UN1593
Proper Shipping Name:	DICHLOROMETHANE
Class(es):	6.1
Hazard label(s):	6.1
Packing group:	III
Environmental hazards:	No
Marine pollutant:	No
Special precautions for user:	

Sea transport (IMDG)

UN-No.:	1593
Proper Shipping Name:	DICHLOROMETHANE
Class(es):	6.1
Hazard label(s):	6.1
Packing group:	III
Environmental hazards:	No
Marine pollutant:	No
Special precautions for user:	
Segregation group:	10
EmS-No.	F-A S-A
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	not relevant

Air transport (ICAO-TI / IATA-DGR)

UN-No.:	1593
Proper Shipping Name:	DICHLOROMETHANE
Class(es):	6.1
Classification code:	
Hazard label(s):	6.1
Packing group:	III
Special precautions for user:	

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Toxic Substances Control Act (TSCA)

Listed

40 CFR 751 Regulation of certain chemical substances and mixtures under section 6 of the Toxic Substances Control Act

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Listed

SARA 313 Components

Listed

US State Regulations

Massachusetts Right To Know Components

Listed

Pennsylvania Right To Know Components

Listed

New Jersey Right To Know Components

Listed

California Prop. 65 Components



WARNING:

This product can expose you to chemicals including Dichloromethane which is known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygienists
DOT - Department of Transportation
IARC - International Agency for Research on Cancer
IATA-DGR - International Air Transport Association-Dangerous Goods Regulations
ICAO-TI - International Civil Aviation Organization-Technical Instructions
IMDG - International Maritime Code for Dangerous Goods
LTV - Long Term Value
NIOSH - National Institute for Occupational Safety and Health
NTP - National Toxicology Program
OSHA - Occupational Safety & Health Administration
PBT - Persistent, Bioaccumulative and Toxic
PEL - Permissible Exposure Limit
STV - Short Term Value
SVHC - Substances of Very High Concern
TDG - Transport of Dangerous Goods
TLV - Threshold Limit Value
vPvB - very Persistent, very Bioaccumulative

Key literature references and sources for data

This Safety Data Sheet has been prepared based on information available for public as TOXNET information, European Chemicals Agency (ECHA) substance dossier, papers from international cancer research institutes (IARC Monographs), U.S. National Toxicology Program data, U.S. Agency for Toxic Substances and Disease Control (ATSDR), PubChem websites and SDS from our raw material manufacturers.

Revision date	Version	Print date
29.09.2023	1.5	2023-09-29

Additional information

Indication of changes:

general update

If you need an explanation of the change, contact the supplier (SDS@avantorsciences.com).

Disclaimer

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

