

# SAFETY DATA SHEET

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

## 1. Identification

**Product identifier:** Nitric Acid, Fuming

**Other means of identification**

**Product No.:** 2713, 9624

**Recommended restrictions**

**Recommended use:** For Laboratory, Research or Manufacturing Use.

**Restrictions on use:** Not determined.

**Details of the supplier of the safety data sheet**

Company Name: Avantor Performance Materials, LLC  
Address: 100 Matsonford Rd, Suite 200  
Radnor, PA 19087

Telephone: Customer Service: 855-282-6867

Contact Person: Product Information Compliance  
E-mail: info@avantormaterials.com

**Emergency telephone number:**

CHEMTREC: 1-800-424-9300 within US and Canada (24 hrs/day, 7 days/week)

## 2. Hazard(s) identification

**Hazard Classification**

**Physical Hazards**

Oxidizing liquids	Category 2
Corrosive to metal	Category 1

**Health Hazards**

Acute toxicity (Inhalation - dust and mist)	Category 2
Skin Corrosion/Irritation	Category 1A
Serious Eye Damage/Eye Irritation	Category 1
Aspiration Hazard	Category 1

**Unknown toxicity - Health**

Acute toxicity, oral	100 %
Acute toxicity, dermal	100 %

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Danger

**Hazard Statement:** May intensify fire; oxidizer.  
May be corrosive to metals.  
Fatal if inhaled.  
Causes severe skin burns and eye damage.  
May be fatal if swallowed and enters airways.

**Precautionary Statements**

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Keep only in original packaging. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection.

**Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Absorb spillage to prevent material damage.

**Storage:** Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in a corrosion-resistant container with a resistant inner liner.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Hazard(s) not otherwise classified (HNOC):** None.

**3. Composition/information on ingredients**

**Substances**

Chemical Identity	CAS number	Content in percent (%)*
Nitric acid	7697-37-2	90 - 100%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**4. First-aid measures**

**General information:** Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.

- Ingestion:** Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth. Drink a few glasses of water or milk. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
- Inhalation:** Move to fresh air. Call a physician or poison control center immediately. If breathing is difficult, give oxygen. If breathing stops, provide artificial respiration.
- Skin Contact:** Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.
- Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately.

**Most important symptoms/effects, acute and delayed**

- Symptoms:** Causes severe skin and eye burns.
- Hazards:** None known.

**Indication of immediate medical attention and special treatment needed**

- Treatment:** Treat symptomatically. Symptoms may be delayed.

**5. Fire-fighting measures**

- General Fire Hazards:** Strong oxidizer - contact with other material may cause fire.

**Suitable (and unsuitable) extinguishing media**

- Suitable extinguishing media:** Water spray, fog, CO2, dry chemical, or alcohol resistant foam.
- Unsuitable extinguishing media:** None known.

- Specific hazards arising from the chemical:** Contact with metals may evolve flammable hydrogen gas. Fire may produce irritating, corrosive and/or toxic gases.

**Special protective equipment and precautions for firefighters**

- Special fire fighting procedures:** Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to flames with water until well after the fire is out.
- Special protective equipment for fire-fighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

**6. Accidental release measures**

<b>Personal precautions, protective equipment and emergency procedures:</b>	Keep unauthorized personnel away. Ventilate closed spaces before entering them. Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
<b>Methods and material for containment and cleaning up:</b>	Neutralize spill area and washings with soda ash or lime. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.
<b>Notification Procedures:</b>	Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.
<b>Environmental Precautions:</b>	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

<b>Precautions for safe handling:</b>	Use personal protective equipment as required. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Do not taste or swallow. Do not eat, drink or smoke when using the product. Use only with adequate ventilation. See Section 8 of the SDS for Personal Protective Equipment. Wash hands thoroughly after handling.
<b>Conditions for safe storage, including any incompatibilities:</b>	Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from sources of ignition - No smoking.

## 8. Exposure controls/personal protection

### Control Parameters

#### Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Nitric acid	STEL	4 ppm	US. ACGIH Threshold Limit Values (2011)
	TWA	2 ppm	US. ACGIH Threshold Limit Values (2011)
	STEL	4 ppm 10 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	REL	2 ppm 5 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	2 ppm 5 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	STEL	4 ppm 10 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	2 ppm 5 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	2 ppm 5 mg/m <sup>3</sup>	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	ST ESL	20 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	AN ESL	2 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	ST ESL	50 µg/m <sup>3</sup>	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	AN ESL	5 µg/m <sup>3</sup>	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	STEL	4 ppm 10 mg/m <sup>3</sup>	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)

	TWA PEL	2 ppm	5 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)
	STEL	4 ppm	10 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (01 2019)

**Appropriate Engineering Controls** No data available.

**Individual protection measures, such as personal protective equipment**

- General information:** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.
- Eye/face protection:** Wear safety glasses with side shields (or goggles) and a face shield.
- Skin Protection**
- Hand Protection:** Chemical resistant gloves
- Other:** Wear suitable protective clothing and gloves.
- Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Chemical respirator with acid gas cartridge.
- Hygiene measures:** Provide eyewash station and safety shower. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not eat, drink or smoke when using the product. Avoid contact with eyes, skin, and clothing. Wash contaminated clothing before reuse.

**9. Physical and chemical properties**

**Appearance**

- Physical state:** Liquid
- Form:** Liquid
- Color:** Colorless, Yellow, Red
- Odor:** Sweet, Acrid
- Odor threshold:** No data available.
- pH:** < 1
- Melting point/freezing point:** -41.6 °C
- Initial boiling point and boiling range:** 83 °C
- Flash Point:** Not applicable
- Evaporation rate:** No data available.
- Flammability (solid, gas):** Noncombustible Liquid, but increases the flammability of combustible materials
- Upper/lower limit on flammability or explosive limits**
  - Flammability limit - upper (%):** No data available.
  - Flammability limit - lower (%):** No data available.
  - Explosive limit - upper (%):** No data available.
  - Explosive limit - lower (%):** No data available.
- Vapor pressure:** 8.41 kPa (25 °C)
- Vapor density:** estimated 2.5 (Air=1)
- Density:** 1.55 g/ml (20 °C)

<b>Relative density:</b>	1.55 (20 °C)
<b>Solubility(ies)</b>	
<b>Solubility in water:</b>	Completely soluble
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Auto-ignition temperature:</b>	No data available.
<b>Decomposition temperature:</b>	No data available.
<b>Viscosity:</b>	No data available.

**Other information**

<b>Molecular weight:</b>	63.01 g/mol (HNO <sub>3</sub> )
--------------------------	---------------------------------

## 10. Stability and reactivity

<b>Reactivity:</b>	No dangerous reaction known under conditions of normal use.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid:</b>	Heat. Light. Moisture.
<b>Incompatible Materials:</b>	Flammable/combustible material. Powdered metal. Strong bases. Alkalies. Strong reducing agents. Water. Metals.
<b>Hazardous Decomposition Products:</b>	Nitrogen oxides.

## 11. Toxicological information

**Information on likely routes of exposure**

<b>Inhalation:</b>	Fatal if inhaled. Severely irritating to respiratory system.
<b>Skin Contact:</b>	Causes severe skin burns.
<b>Eye contact:</b>	Causes serious eye damage.
<b>Ingestion:</b>	Harmful if swallowed. May cause burns of the gastrointestinal tract if swallowed.

**Information on toxicological effects**

**Acute toxicity (list all possible routes of exposure)**

<b>Oral</b>	
<b>Product:</b>	No data available.
<b>Dermal</b>	
<b>Product:</b>	No data available.
<b>Inhalation</b>	
<b>Product:</b>	LC 50 (Rat, 4 h) 65 ppm

<b>Repeated dose toxicity</b>	
<b>Product:</b>	No data available.

**Skin Corrosion/Irritation**

**Product:** Causes severe skin burns.

**Serious Eye Damage/Eye Irritation**

**Product:** Causes serious eye damage.

**Respiratory or Skin Sensitization**

**Product:** Not a skin nor a respiratory sensitizer.

**Carcinogenicity**

**Product:** This substance has no evidence of carcinogenic properties.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No mutagenic components identified

**In vivo**

**Product:** No mutagenic components identified

**Reproductive toxicity**

**Product:** No components toxic to reproduction

**Specific Target Organ Toxicity - Single Exposure**

**Product:** None known.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** None known.

**Aspiration Hazard**

**Product:** May be fatal if swallowed and enters airways.

**Other effects:** None known.

<b>12. Ecological information</b>
-----------------------------------

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

Nitric acid LC 50 (Salmo sp., 96 h): 4,400 - 6,000 mg/l

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

Nitric acid  
LC 50 (Cockle (*Cerastoderma edule*), 48 h): 330 - 1,000 mg/l  
LC 50 (Green or European shore crab (*Carcinus maenas*), 48 h): 180 mg/l  
EC 50 (*Daphnia magna*, 48 h): 490 mg/l

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Aquatic Invertebrates**

**Product:** No data available.

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Persistence and Degradability**

**Biodegradation**

**Product:** There are no data on the degradability of this product.

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available on bioaccumulation.

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Mobility in soil:**

The product is water soluble and may spread in water systems.

**Other adverse effects:**

The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

**13. Disposal considerations**

**Disposal instructions:**

Discharge, treatment, or disposal may be subject to national, state, or local laws.

**Contaminated Packaging:**

Since emptied containers retain product residue, follow label warnings even after container is emptied.

**14. Transport information**

**DOT**

UN Number: UN 2031  
UN Proper Shipping Name: Nitric acid  
Transport Hazard Class(es)  
Class: 8  
Label(s): 8, 5.1  
Packing Group: I  
Marine Pollutant: No



Special precautions for user: Keep away from alkalis.

**IMDG**

UN Number: UN 2031  
 UN Proper Shipping Name: NITRIC ACID  
 Transport Hazard Class(es)  
     Class: 8  
     Label(s): 8, 5.1  
     EmS No.: F-A, S-Q  
 Packing Group: I  
 Marine Pollutant: No  
 Special precautions for user: Keep away from alkalis.

**IATA**

UN Number: UN 2031  
 Proper Shipping Name: Nitric acid  
 Transport Hazard Class(es):  
     Class: 8  
     Label(s): 8, 5.1  
 Packing Group: I  
 Marine Pollutant: No  
 Special precautions for user: Keep away from alkalis.

**15. Regulatory information**

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**  
 None present or none present in regulated quantities.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**  
 None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

<u><b>Chemical Identity</b></u>	<u><b>Reportable quantity</b></u>
Nitric acid	1000 lbs.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

- Oxidizer (liquid, solid or gas)
- Corrosive to metal
- Acute toxicity (any route of exposure)
- Skin Corrosion or Irritation
- Serious eye damage or eye irritation
- Aspiration Hazard

**SARA 302 Extremely Hazardous Substance**

<u><b>Chemical Identity</b></u>	<u><b>Reportable quantity</b></u>	<u><b>Threshold Planning Quantity</b></u>
Nitric acid	1000 lbs.	1000 lbs.

**SARA 304 Emergency Release Notification**

<u><b>Chemical Identity</b></u>	<u><b>Reportable quantity</b></u>
Nitric acid	1000 lbs.

**SARA 311/312 Hazardous Chemical**

<u><b>Chemical Identity</b></u>	<u><b>Threshold Planning Quantity</b></u>
Nitric acid	500 lbs.

**SARA 313 (TRI Reporting)**

<u>Chemical Identity</u>	<u>Reporting threshold for other users</u>	<u>Reporting threshold for manufacturing and processing</u>
Nitric acid	10000 lbs.	25000 lbs.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Nitric acid	15000 lbs.

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3):**

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Nitric acid	Reportable quantity: 1000 lbs.

**US State Regulations**

**US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

**US. New Jersey Worker and Community Right-to-Know Act**

<u>Chemical Identity</u>
Nitric acid

**US. Massachusetts RTK - Substance List**

<u>Chemical Identity</u>
Nitric acid

**US. Pennsylvania RTK - Hazardous Substances**

<u>Chemical Identity</u>
Nitric acid

**US. Rhode Island RTK**

<u>Chemical Identity</u>
Nitric acid

**International regulations**

**Montreal protocol**

Not applicable

**Stockholm convention**

Not applicable

**Rotterdam convention**

Not applicable

**Kyoto protocol**


Not applicable

**Inventory Status:**

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Japan (ENCS) List:	On or in compliance with the inventory
Japan ISHL Listing:	On or in compliance with the inventory
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory
Mexico INSQ:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Philippines PICCS:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	On or in compliance with the inventory

**16. Other information, including date of preparation or last revision**

**NFPA Hazard ID**



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible  
OXY: Oxidizer

<b>Issue Date:</b>	04-30-2021
<b>Revision Information:</b>	Not relevant.
<b>Version #:</b>	1.3
<b>Source of information:</b>	Sources of information used in preparing this SDS included one or more of the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other manufacturer's SDSs and other sources, as appropriate.
<b>Further Information:</b>	No data available.

**Disclaimer:**

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.