

Revision Date: 09-28-2020

SAFETY DATA SHEET

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

1. Identification

Product identifier: Ethyl Acetate

Other means of identification

Synonyms: Acetic acid ethyl ester; Ethyl ethanoate; Acetoxyethane; Acetic ether 4992, 9260, 9278, 9280, 9282, 9828, H078, V553, 11652, 13157,

IMB9429

Recommended restrictions

Recommended use: For Laboratory, Research or Manufacturing Use.

Restrictions on use: Not determined.

Details of the supplier of the safety data sheet

Company Name: Avantor Performance Materials, LLC

Address: 100 Matsonford Rd, Suite 200

Radnor, PA 19087

Telephone: Customer Service: 855-282-6867

Contact Person: Product Information Compliance E-mail: info@avantormaterials.com

Emergency telephone number:

CHEMTREC: 1-800-424-9300 within US and Canada (24 hrs/day, 7 days/week)

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable liquids Category 2

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A
Specific Target Organ Toxicity - Category 3¹

Single Exposure

Target Organs

Narcotic effect.

Unknown toxicity - Health

Acute toxicity, inhalation, vapor 100 %

Label Elements

Hazard Symbol:



Revision Date: 09-28-2020



Signal Word: Danger

Highly flammable liquid and vapor. **Hazard Statement:**

Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Keep container tightly closed. Ground and bond

container and receiving equipment. Use explosion-proof

[electrical/ventilating/lighting] equipment. Use non-sparking tools. Take

action to prevent static discharges. Avoid breathing

dust/fume/gas/mist/vapours/spray. Wear protective gloves/eye

protection/face protection. Use only outdoors or in a well-ventilated area.

Wash hands thoroughly after handling.

Response: In case of fire: Use water spray, foam, dry powder or carbon dioxide for

extinction. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel

unwell.

Storage: Store in a well-ventilated place. Keep cool. Keep container tightly closed.

Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

Static accumulating flammable liquid can become electrostatically charged

even in bonded and grounded equipment. Sparks may ignite liquid and

vapor. May cause flash fire or explosion.

3. Composition/information on ingredients

Substances

Chemical Identity	CAS number	Content in percent (%)*
Ethyl acetate	141-78-6	98.0 - 100.0%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.



Revision Date: 09-28-2020

Ingestion: Call a physician or poison control center immediately. Do NOT induce

vomiting. If vomiting occurs, keep head low so that stomach content doesn't

get into the lungs.

Inhalation: Move to fresh air. Get medical attention if symptoms persist.

Skin Contact: Wash skin thoroughly with soap and water. Get medical attention if

symptoms occur. Wash contaminated clothing before reuse.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms: Irritating to eyes, respiratory system and skin.

Hazards: None known.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards: Flammable liquid and vapor. Can be ignited easily and burns vigorously.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from

the chemical:

Can be ignited easily and burns vigorously. Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to flames with water until well after the fire is out. Water may be ineffective in fighting the fire. Fight fire from a protected location. Flammable liquid and vapor. Can be ignited easily and burns vigorously.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Keep unauthorized personnel away. Keep upwind. Ventilate closed spaces before entering them. Use personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See Section 8 of the SDS for Personal Protective Equipment.



Revision Date: 09-28-2020

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal. In case of leakage, eliminate all ignition sources. Use non-sparking tools. All equipment used when handling the product must be grounded.

Notification Procedures:

Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.

Environmental Precautions:

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling:

DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Use personal protective equipment as required. Avoid breathing mists or vapors. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Use only with adequate ventilation. Wash hands thoroughly after handling. See Section 8 of the SDS for Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities:

Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a cool, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Ethyl acetate	TWA	400 ppm	US. ACGIH Threshold Limit Values (2011)
	REL	400 ppm 1,400 mg/m3	B US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	400 ppm 1,400 mg/m3	B US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	400 ppm 1,400 mg/m3	3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	400 ppm 1,400 mg/m3	B US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	ST ESL	1,400 µg/m3	B US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL	1,440 µg/m3	B US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	ST ESL	390 ppl	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL	400 ppl	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (12 2010)
	TWA PEL	400 ppm 1,400 mg/m3	B US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)

Appropriate Engineering Controls

No data available.



Revision Date: 09-28-2020

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area. Use explosion-proof ventilation equipment.

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin Protection

Hand Protection: Chemical resistant gloves

Other: Wear suitable protective clothing.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Respirator type: Chemical respirator

with organic vapor cartridge and full facepiece.

Hygiene measures: Provide eyewash station and safety shower. Always observe good personal

hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state: Liquid
Form: Liquid
Color: Colorless
Odor: Fruity

Odor threshold: No data available. PH: No data available.

Melting point/freezing point: -83 °C Initial boiling point and boiling range: 77 °C

Flash Point:
-4 °C (Closed Cup)
Evaporation rate:
4.1 6 (butyl acetate=1)
Flammability (solid, gas):
Class IB Flammable Liquid

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): 11.5 %(V)
Flammability limit - lower (%): 2 %(V)

Explosive limit - upper (%):

No data available.

Explosive limit - lower (%):

No data available.

Vapor pressure: 12.43 kPa (25 °C) 98 hPa (20 °C) 379 hPa (50 °C)

 Vapor density:
 3.04 (Air=1)

 Density:
 0.90 g/ml (20 °C)

 Relative density:
 0.902 (20 °C)

Solubility(ies)

Solubility in water: 60 - 80 g/l (25 °C) Solubility (other): No data available.

Partition coefficient (n-octanol/water): 0.73



Revision Date: 09-28-2020

Auto-ignition temperature: 427 °C

Decomposition temperature: No data available.

Viscosity: 0.417 - 0.648 mm2/s (25 °C)

Other information

Minimum ignition energy: 0.46 mJ **Minimum ignition temperature:** 485 °C

Molecular weight: 88.11 g/mol (C4H8O2)

10. Stability and reactivity

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

Conditions to avoid: Heat, sparks, flames.

Incompatible Materials: Strong oxidizing agents. Strong alkalis. Strong acids. Nitrates. May attack

some plastics, rubber and coatings.

Hazardous Decomposition

Products:

Thermal decomposition may release oxides of carbon.

11. Toxicological information

Information on likely routes of exposure

Inhalation: May cause irritation to the respiratory system. May cause drowsiness or

dizziness.

Skin Contact: Causes mild skin irritation.

Eye contact: Causes serious eye irritation.

Ingestion: Irritating. May cause nausea, stomach pain and vomiting.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat): 5.6 g/kg

Dermal

Product: LD 50 (Rabbit) > 20,000 mg/kg

Inhalation

Product: LD 50 (Rat, 4 h) 4000 ppm

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: Causes mild skin irritation.



Revision Date: 09-28-2020

Serious Eye Damage/Eye Irritation

Product: Causes serious eye irritation.

Respiratory or Skin Sensitization

Product: Not a skin nor a respiratory sensitizer.

Carcinogenicity

Product: This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: No components toxic to reproduction

Specific Target Organ Toxicity - Single Exposure

Product: Narcotic effect. Respiratory tract irritation.

Specific Target Organ Toxicity - Repeated Exposure

Product: None known.

Target Organs

Specific Target Organ Toxicity - Single Exposure: Narcotic effect.

Aspiration Hazard

Product: May be harmful if swallowed and enters airways.

Other effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Ethyl acetate LC 50 (Pimephales promelas, 96 h): 230 mg/l

LC 50 (Oncorhynchus mykiss, 96 h): 230 - 500 mg/l EC 50 (Pimephales promelas, 96 h): 220 mg/l

LC 50 (Heteropneustes fossilis, 96 h): 212.5 mg/l



Revision Date: 09-28-2020

LOAEL (Pimephales promelas, 96 h): 19.4 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Ethyl acetate EC 50 (Brine shrimp (Artemia salina), 24 h): 306.9 - 389.9 mg/l

LC 50 (Water flea (Daphnia magna), 48 h): 560 - 819 mg/l

LC 50 (Hydra (Hydra oligactis), 48 h): 1,350 mg/l

LC 50 (Water flea (Daphnia cucullata), 48 h): 154 - 175 mg/l EC 50 (Water flea (Daphnia magna), 48 h): 610 - 799 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: Expected to be readily biodegradable.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

Product: Log Kow: 0.73

Mobility in soil: The product is water soluble and may spread in water systems.

Other adverse effects: The product components are not classified as environmentally hazardous.

However, this does not exclude the possibility that large or frequent spills

can have a harmful or damaging effect on the environment.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even

after container is emptied.



Revision Date: 09-28-2020

14. Transport information

DOT

UN Number: UN 1173 UN Proper Shipping Name: Ethyl acetate

Transport Hazard Class(es)

Class: 3
Label(s): 3
Packing Group: II
Marine Pollutant: No

Special precautions for user: Not determined.

IMDG

UN Number: UN 1173

UN Proper Shipping Name: ETHYL ACETATE

Transport Hazard Class(es)

Class: 3
 Label(s): 3
 EmS No.: F-E, S-D
 Packing Group: II

Marine Pollutant: No

Special precautions for user: Not determined.

IATA

UN Number: UN 1173
Proper Shipping Name: Ethyl acetate

Transport Hazard Class(es):

Class: 3
Label(s): 3
Packing Group: II
Marine Pollutant: No

Special precautions for user: Not determined.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity Reportable quantity

Ethyl acetate 5000 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Flammable (gases, aerosols, liquids, or solids)

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

Hazards Not Otherwise Classified (HNOC)

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.



Revision Date: 09-28-2020

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

Ethyl acetate 10000 lbs.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Ethyl acetate

US. Massachusetts RTK - Substance List

Chemical Identity

Ethyl acetate

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Ethyl acetate

US. Rhode Island RTK

Chemical Identity

Ethyl acetate

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable




Revision Date: 09-28-2020

Inventory Status:

Australia AICS: On or in compliance with the inventory Canada DSL Inventory List: On or in compliance with the inventory On or in compliance with the inventory China Inv. Existing Chemical Substances: Japan (ENCS) List: On or in compliance with the inventory Japan ISHL Listing: On or in compliance with the inventory Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory Mexico INSO. On or in compliance with the inventory New Zealand Inventory of Chemicals: On or in compliance with the inventory Philippines PICCS: On or in compliance with the inventory Taiwan Chemical Substance Inventory: On or in compliance with the inventory **US TSCA Inventory:** On or in compliance with the inventory EINECS, ELINCS or NLP: On or in compliance with the inventory

16.Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date: 09-28-2020

Revision Information: Not relevant.

Version #: 1.2

Source of information: Sources of information used in preparing this SDS included one or more of

the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other

manufacturer's SDSs and other sources, as appropriate.

Further Information: No data available.



Revision Date: 09-28-2020

Disclaimer:

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE. MERCHANTABILITY. NON-INFRINGEMENT. PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.